

SA14-70

SEMI-AUTOMATIC RETRACTABLE TERMINAL

H70 CM - Ø14 CM



Impact-proof lock

**Automatic lock in high
and low position**

Designed for regular
operation

Emergency services
access management

STANDARD CHARACTERISTICS

• Cylinder:

- Zinc-plated steel and epoxy powder Ø 14 cm - height 70 cm
- RAL 7016 colour
- Brush seal prevents scratches on the housing
- Class 2 reflective tape
- Flat bollard head

• Frame:

- RAL 7016 steel floor plate
- Lateral guidance with HDPE sliders

• Operation:

- Preconfigured For use with captive key
- Lock positioned under the frame and protected in case of impact
- 11 mm triangle lock release system (emergency services)
- Operation by compression of a gas spring, automatic raising by release of the spring
- Automatic lock in high and low position

• Standards:

- NFP 98-310-compliant
- Dimensions compliant with the French Decree of 18/09/2012 on the technical specifications for the accessibility of roads and public spaces



MADE IN FRANCE



TECHNICAL SPECIFICATION

Paint / Finish	RAL 7016 steel colour
Cylinder dimensions (H-Ø)	700 mm / 140 mm
Floor plate dimensions	240 x 240 mm

In the event of occasional use and/or in the event of repeated vehicle passage over the bollards, we recommend the use of manual bollards

OPTIONAL FEATURES


Security

- Anti-vandalism screws
- Secure lock head
- Captive key

Customisation

- Choice of RAL colours on bollard
- Choice of RAL colours on floor plate
- Paint with seaFront treatment

INSTALLATION



Shore the inside of the casing before pouring the concrete to avoid any deformation of the casing.

SLINGING
SCALE 1:10

Remove the cover and fit two M6 lifting lugs (not included).

